Intertek Labtest

NUMBER: HJ00203570
DATE: Jan 20, 2004

SAFETY DATA SHEET FOR LENS CLEANING KIT

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME : LENS CLEANING KIT TRADE NAMES : NONE
SYNONYMS : NONE PRODUCT TYPE : CLEANER FORMULA : PROPIETARY

HAZARD RATINGS*

	NFPA/HMIS	NFPA 704
HEALTH :	1	1
FLAMMABILITY :	0	0
REACTIVITY :	0	0

RATINGS KEY
0 = MINIMAL
1 = SLIGHT
2 = MODERATE
3 = SERIOUS
4 = SEVERE

MANUFACTURER
RIVORAN TRADING CO., LTD.
9/F XINGJINIANG BUILDING
491 LINGQIAO ROAD
NINGBO, CHINA
TEL : (86-574) 8729-5648

DISTRIBUTOR
SAKAR INTERNATIONAL INC.
195 CARTER DRIVE
EDISON, NJ 08817
USA
TEL : (732) 248-1306 x 208

* SEE SECTION 16 FOR DESIGNATIONS OF ABBREVIATIONS USED IN THIS MSDS.

2. COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT	CASRN	% WT.	EXPOSURE LIMITS ACGIH TLV	EXPOSURE LIMITS OSHA PEL
ISOPROPYL ALCOHOL	67-63-0	7.6	400 ppm 980 mg/m³	400 ppm 980 mg/m³

AS DEFINED IN 29 CFR 1910.1200 (OSHA HAZARD COMMUNICATION STANDARD).

Intertek Labtest

NUMBER: HJ00203570
DATE: Jan 20, 2004

3. HAZARDS IDENTIFICATION/EMERGENCY OVERVIEW

NON-FLAMMABLE THIS MATERIAL WILL NOT BURN.
ROUTES OF ENTRY :
INHALATION-THIS MATERIAL CANNOT BE INHALED.
INGESTION-MAY CAUSE NAUSEA AND VOMITING.
SKIN CONTACT-NOT EXPECTED TO BE HARMFUL.
EYE CONTACT-MAY BE SLIGHTLY IRRITATING.

CARCINOGENIC : IARC - NO, NTP - NO, OSHA - NO

4. FIRST AID

INGESTION - IF CONSCIOUS, DRINK LARGE AMOUNT OF WATER. NEVER GIVE WATER TO UNCONSCIOUS PERSON. DO NOT INDUCE VOMITING.
SKIN CONTACT - NO FIRST AID PROCEDURES NEEDED.
EYE CONTACT - RINSE EYES WITH COLD WATER. SEEK IMMEDIATE MEDICAL HELP.

5. FIRE-FIGHTING MEASURES

THIS MATERIAL WILL NOT BURN.
EXTINGUISHING MEDIA : ANY MATERIAL APPROPRIATE FOR SURROUNDING MEDIA.
SPECIAL FIRE-FIGHTING PROCEDURES OR EQUIPMENT : NONE REQUIRED.
HAZARDOUS COMBUSTION PRODUCTS : NONE KNOWN.
UNUSUAL FIRE/EXPLOSION HAZARDS : NONE KNOWN.

6. ACCIDENTAL RELEASE MEASURES

MIX WITH ABSORBENT MATERIAL, SWEEP UP AND PLACE IN APPROPRIATE CONTAINER.

7. HANDLING AND STORAGE

NO SPECIAL HANDLING PRECAUTIONS ARE REQUIRED FOR HANDLING THIS DRIED MATERIAL. STORE PRODUCT AWAY FROM HEAT.

天祥公證行有限公司
Intertek Testing Services Hong Kong Ltd.
香港九龍香山道底七六號九龍水工業中心二樓
2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong.
Telephone (852) 2173 8888 Fax (852) 2786 1903 Website: http://www.intertek-labtest.com

Intertek Labtest

NUMBER: HJ00203570
DATE: Jan 20, 2004

15. REGULATORY INFORMATION

NOTE : THE REGULATORY INFORMATION INCLUDED HERE SHOULD NOT NECESSARILY BE CONSIDERED ALL-INCLUSIVE.

NONE OF THE INGREDIENTS IN THIS PRODUCT IS SUBJECT TO THE REPORTING REQUIREMENTS OF THE COMPREHENSIVE ENVIRONMENTAL RESPONSE COMPENSATION LIABILITY ACT AND THE STATE OF CALIFORNIA'S SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT OF 1986 (PROPOSITION 65). THIS MATERIAL IS NOT FORMULATED WITH, NOR DO THE MANUFACTURING OR FORMULATION PROCESSES UTILIZE ANY CLASS I OR CLASS II OZONE DEPLETING SUBSTANCES REGULATED BY THE EPA UNDER THE CLEAN AIR ACT.

16. OTHER INFORMATION

@ DELETE AS APPROPRIATE

THE RECOMMENDATIONS AND INFORMATION CONTAINED IN THIS MSDS HAVE BEEN COMPILED FROM SOURCES BELIEVED TO REPRESENT THE MOST REASONABLE CURRENT OPINION ON THE SUBJECT WHEN THE MSDS WAS PREPARED. HOWEVER, NEITHER THE MANUFACTURER NOR THE DISTRIBUTOR OF THIS MATERIAL PROVIDES ANY WARRANTY, GUARANTY OR REPRESENTATION AS TO THE CORRECTNESS OR SUFFICIENCY OF THIS INFORMATION. IF THIS PRODUCT IS TO BE USED IN LARGE AMOUNTS AND/OR AN UNUSUAL MANNER, THE USER IS OBLIGATED TO DETERMINE WHAT SAFETY MEASURES ARE APPROPRIATE, INCLUDING THE APPLICABLE AND RELEVANT WORKPLACE AND ENVIRONMENTAL REGULATIONS PERTAINING TO HANDLING, USE AND DISPOSAL.

ABBREVIATIONS USED IN THIS MSDS NOT FULLY DESCRIBED IN THE TEXT:

ACGIH = AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGIENISTS
CFR = CODE OF FEDERAL REGULATIONS (US)
IARC = INTERNATIONAL AGENCY FOR RESEARCH ON CANCER
NFPA = NATIONAL FIRE PROTECTION ASSOCIATION (US)
NPCA / HMIS = NATIONAL PAINT AND COATINGS ASSOCIATION'S HAZARDOUS MATERIALS INFORMATION SYSTEM (US)
NTP = NATIONAL TOXICOLOGY PROGRAM (US)
OSHA = OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION (US)
PEL = PERMISSIBLE EXPOSURE LIMIT
TLV = THRESHOLD LIMIT VALUE
USDOT = UNITED STATES DEPARTMENT OF TRANSPORTATION

17. Center for poison control: call 1800-222-1222

DATE OF ISSUE JAN 16, 2004

天祥公證行有限公司
Intertek Testing Services Hong Kong Ltd.
香港九龍青山道葵涌工業中心二期
2/F, Garment Centre 576 Castle Peak Road, Kowloon Hong Kong
Telephone (852) 2173 8333 Fax (852) 2766 1903 Website: http://www.intertek-labtest.com

Intertek Labtest

NUMBER: HJ00203570
DATE: Jan 20, 2004

8. EXPOSURE CONTROL/PERSONAL PROTECTION

NONE REQUIRED.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE/STATE : COLORLESS LIQUID ODOR : ALCOHOL
SOLUBILITY (WATER) : SOLUBLE (ORGANICS) : INSOLUBLE

10. STABILITY AND REACTIVITY

THIS MATERIAL IS STABLE AND NOT REACTIVE.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY : THIS MATERIAL IS NOT EXPECTED TO BE TOXIC OR IRRITATING TO THE SKIN. MAY BE SLIGHTLY IRRITATING TO THE EYES.
CHRONIC TOXICITY : NONE EXPECTED.

12. ECOLOGICAL INFORMATION

SMALL AMOUNTS OF THIS MATERIAL ARE NOT EXPECTED TO CAUSE ANY SIGNIFICANT ADVERSE EFFECTS ON THE ENVIRONMENT. COMPONENTS OF THIS MATERIAL ARE NOT BIOMAGNIFIED OR BIOCONCENTRATED IN THE ENVIRONMENT.

13. DISPOSAL CONSIDERATIONS

SMALL AMOUNTS OF THIS MATERIAL MAY BE SAFELY DISPOSED OF IN A MUNICIPAL LANDFILL.

14. TRANSPORT INFORMATION

THIS MATERIAL IS NOT REGULATED BY THE USDOT.